Journal of Internal Medicine 1999; **245**: 673–677

Author index

Abdon N-J *see* Everts B *et al.*
Ahrén B *see* Larsson H *et al.*
Ahrén B *see* Söderberg S *et al.*
Amino N *see* Yagoro A *et al.*
Anan I, El-Salhy M, Ando Y, Nyhlin N, Terazaki H, Sakashita N & Suhr O. Colonic endocrine cells in patients with familial amyloidotic polyneuropathy. 469
Anders HJ *see* Kuehn EW *et al.*
Andersson C, Bylesjö I & Lithner F. Effects of diabetes mellitus on patients with acute intermittent porphyria. 193
Ando Y *see* Anan I *et al.*
Arildsen H *see* May O *et al.*
Arner P & Hoffstedt J. Adrenoceptor genes in human obesity (Minisymposium). 667
Arner P *see* Hellström L *et al.*
Arnesen H *see* Dammen T *et al.*
Arnqvist HJ *see* Orre-Pettersson A-C *et al.*
Aromaa A *see* Knekt P *et al.*
Arstila M *see* Korpilahti K *et al.*
Arvidsson Lenner R *see* Axelsen M *et al.*
Asplund-Carlson A, Lund E, Björkhem I & Carlson LA. Studies in hypertriglyceridaemia VI: serum lathosterol concentration is raised in hypertriglyceridaemic non-diabetic males with hyperinsulinaemia. 247
Axelsen M, Wesslau C, Lönnroth P, Arvidsson Lenner R & Smith U. Bedtime uncooked cornstarch supplement prevents nocturnal hypoglycaemia in intensively treated type 1 diabetes patients. 229

Baddour LM. Breast cellulitis complicating breast conservation therapy. 5
Bagger JP *see* Frøbert O *et al.*
Bairey O *see* Luboshitz J *et al.*
Balbarini A *see* Pedrinelli R *et al.*
Bangerter M *see* Griesshammer M *et al.*
Barchielli A *see* Pedrinelli R *et al.*
Barna I, Váradi A & Lakatos P. Metabolic abnormailities related to cardiovascular risk in primary hyperparathyroidism: effects of surgical treatment (Letter to the Editor). 311
Baschetti R. Cortisol deficiency may account for elevated apoptotic cell population in patients with chronic fatigue syndrome (Letter to the Editor). 409
Belaiche J *see* Delwaide J *et al.*
Berchiolli R *see* Pedrinelli R *et al.*
Berends MJH *see* Eichhorn RF *et al.*
Bergenfelz A *see* Valdemarsson S *et al.*
Berglund G *see* Larsson H *et al.*
Bergmann L *see* Griesshammer M *et al.*
Bergmark V *see* Orre-Pettersson A-C *et al.*
Berne C *see* Schölin A *et al.*
Bianda T, Zapf J, Froesch ER & Schmid C. Insulin-like growth factor-I lowers fasting and postprandial triglyceride levels without affecting chylomicron clearance in healthy man. 455
Björk E *see* Schölin A *et al.*
Björkhem I *see* Asplund-Carlson A *et al.*
Bjøro K, Haaland T, Skaug K & Frøland SS. The spectrum of hepatobiliary disease in primary hypogammaglobulinaemia. 517
Blickstein D *see* Luboshitz J *et al.*
Blok P *see* Eichhorn RF *et al.*
Bogner JR *see* Kuehn EW *et al.*
Boström P-Å *see* Juhlin P *et al.*
Bots ML, Hoes AW, Hofman A, Witteman JCM & Grobbee DE. Cross-sectionally assessed carotid intima–media thickness relates to long-term risk of stroke, coronary heart disease and death as estimated by available risk functions. 269
Bouillard F *see* Ricquier D *et al.*
Bredberg A *see* Juhlin P *et al.*
Britten MB, Zeiher AM & Schächinger V. Clinical importance of coronary endothelial vasodilator dysfunction and therapeutic options. 315
Brorsson B *see* Herlitz J *et al.*
Brot C, Jørgensen N, Madsen OR, Jensen LB & Sørensen OH. Relationships between bone mineral density, serum vitamin D metabolites and calcium : phosphorus intake in healthy perimenopausal women. 509
Buurke EJ *see* Eichhorn RF *et al.*
Bylesjö I *see* Andersson C *et al.*

Caidahl K *see* Sjöland H *et al.*
Cannegieter SC, Torn M & Rosendaal FR. Oral anticoagulant treatment in patients with mechanical heart valves: how to reduce the risk of thromboembolic and bleeding complications (Minisymposium). 369
Carlberg B *see* Eriksson JW *et al.*
Carlson J *see* Verbaan H *et al.*
Carlson LA *see* Asplund-Carlson A *et al.*
Cassard-Doulcier A-M *see* Ricquier D *et al.*
Cederholm T & Gyllenhammar H. Impaired granulocyte formylpeptide-induced superoxide generation in chronically ill, malnourished, elderly patients. 475
Champigny O *see* Ricquier D *et al.*
Chowdhury TA, Lasker SS & Dyer PH. Comparison of secondary prevention measures after myocardial infarction in subjects with and without diabetes mellitus. 565
Christiansen M *see* Jonsson V *et al.*
Claesson H-E & Dahlén S-E. Asthma and leukotrienes: antileukotrienes as novel antiasthmatic drugs. 205

Dahlén S-E *see* Claesson H-E
Dahlström U *see* Jansson K *et al.*
Dammen T, Arnesen H, Ekeberg Ø, Husebye T & Friis S. Panic disorder in chest pain patients referred for cardiological outpatient investigation. 497
Danielsson Å *see* Rönnblom A *et al.*
De Jong AJL *see* Jansen TLThA *et al.*
De Meer K *see* Van Guldener C *et al.*
Dell' Omo G *see* Pedrinelli R *et al.*
Delwaide J, Gérard C, Vaira D, Maggipinto G, Rentier B & Belaiche J. Hepatitis C virus transmission following invasive medical procedures. (Letter to the Editor) 107
Donker AJM *see* Van Guldener C *et al.*
Dyer PH *see* Chowdhury TA *et al.*

Echwald SM. Genetics of human obesity: lessons from mouse models and candidate genes (Minisymposium). 653
Eichhorn RF, Buurke EJ, Blok P, Berends MJH & Jansen CL. Sickle cell-like crisis and bone marrow necrosis associated with

© 1999 Blackwell Science Ltd

parvovirus B19 infection and heterozygosity for haemoglobins S and E (Case Report), 103
Ekeberg Ø *see* Dammen T *et al.*
Eklund A *see* Grunewald J *et al.*
Eliasson M *see* Söderberg S *et al.*
Elmståhl S *see* Larsson H *et al.*
El-Salhy M *see* Anan I *et al.*
El-Salhy M *see* Rönnblom A *et al.*
Engblom E *see* Korpilahti K *et al.*
Eriksson E *see* Hansson P-O *et al.*
Eriksson H *see* Hansson P-O *et al.*
Eriksson JW, Carlberg B & Hillörn V. Life-threatening ventricular tachycardia due to liquorice-induced hypokalaemia (Case Report), 307
Eriksson S *see* Verbaan H *et al.*
Everts B, Karlson B, Abdon N-J, Herlitz J & Hedner T. A comparison of metoprolol and morphine in the treatment of chest pain in patients with suspected acute myocardial infarction: the MEMO Study, 133

Ferrari M *see* Pedrinelli R *et al.*
Fleury C *see* Ricquier D *et al.*
Fossgreen J *see* Frøbert O *et al.*
Friis S *see* Dammen T *et al.*
Frøbert O, Fossgreen J, Søndergaard-Petersen J, Hede J & Bagger JP. Musculo-skeletal pathology in patients with angina pectoris and normal coronary angiograms, 237
Froesch ER *see* Bianda T *et al.*
Frøland SS *see* Bjøro K *et al.*

Geisler C *see* Jønsson V *et al.*
Geiss HC, Parhofer KG & Schwandt P. Atorvastatin compared to simvastatin in patients with severe LDL hypercholesterolaemia treated by regular LDL apheresis, 47
Gelly C *see* Ricquier D *et al.*
Gérard C *see* Delwaide J *et al.*
Goebel F *see* Kuehn EW *et al.*
Gørbitz C *see* Tonstad S *et al.*
Green A *see* Kjeldsen AD *et al.*
Griesshammer M, Bangerter M, Sauer T, Wennauer R, Bergmann L & Heimpel H. Aetiology and clinical significance of thrombocytosis: analysis of 732 patients with an elevated platelet count, 295
Grobbee DE *see* Bots ML *et al.*
Grunewald J, Eklund A, Wigzell H, Van Meijgaarden KE & Ottenhoff THM. Bronchoalveolar lavage cells from sarcoidosis patients and healthy controls can efficiently present antigens, 353
Gyllenhammar H *see* Cederholm T

Haaland T *see* Bjøro K *et al.*
Hallengren B *see* Papadopoulos KI *et al.*
Hämäläinen H *see* Korpilahti K *et al.*
Hansen MM *see* Jønsson V *et al.*
Hansson P-O, Eriksson E, Welin L & Eriksson H. Prevalence of APC resistance and its relationship to arterial and venous thromboembolism in a general population sample of elderly Swedish men: The Study of Men Born in 1913, 593
Hartford M *see* Sjöland H *et al.*
Hartikainen J *see* Nousiainen T *et al.*
Hede J *see* Frøbert O *et al.*
Hedner T *see* Everts B *et al.*
Heimpel H *see* Griesshammer M *et al.*
Hellström L, Large V, Reynisdottir S, Wahrenberg H & Arner P. The different effects of a Gln27Glu β_2-adrenoceptor gene polymorphism on obesity in males and females, 253
Henriksson A *see* Johansson Å *et al.*
Herlitz J *see* Everts B *et al.*
Herlitz J *see* Sjöland H *et al.*
Herlitz J, Brorsson B & Werkö L. (For The SECOR/SBU Project Group) Factors associated with the use of various medications amongst patients with severe coronary artery disease, 143
Hernell O *see* Ivarsson A *et al.*
Hidaka Y *see* Yagoro A *et al.*
Hietanen E *see* Korpilahti K *et al.*
Hillörn V *see* Eriksson JW *et al.*
Hoes AW *see* Bots ML *et al.*
Hoffstedt J *see* Arner P
Hofman A *see* Bots ML *et al.*
Holm S *see* Madsen S *et al.*
Hölzenbein T *see* Kretschmer G
Horsten M *see* Wamala SP *et al.*
Hotamisligil GS. The role of TNFα and TNF receptors in obesity and insulin resistance (Minisymposium), 621
Hou-Jensen K *see* Jonsson V *et al.*
Husebye T *see* Dammen T *et al.*

Immonen-Räihä P *see* Miettinen H *et al.*
Ivarsson A, Persson LÅ, Juto P, Peltonen M, Suhr O & Hernell O. The high prevalence of undiagnosed coeliac disease in adults: a Swedish population-based study, 63

Jansen CL *see* Eichhorn RF *et al.*
Jansen TLThA, Janssen M, De Jong AJL & Jeurissen MEC. Post-streptococcal reactive arthritis: a clinical and serological description, revealing its distinction from acute rheumatic fever, 261
Janssen M *see* Jansen TLThA *et al.*
Janssen MJFM *see* Van Guldener C *et al.*
Jansson K, Dahlström U, Karlberg BE, Karlsson E, Nylander E, Nyquist O & Karlberg K-E. The circulating renin–angiotensin system during treatment with metoprolol or captopril in patients with heart failure due to non-ischaemic dilated cardiomyopathy, 435
Jantunen E *see* Nousiainen T *et al.*
Jensen LB *see* Brot C *et al.*
Jensen-Urstad K *see* Johansson J
Jensen-Urstad K, Reichard P & Jensen-Urstad M. Decreased heart rate variability in patients with type I diabetes mellitus is related to arterial wall stiffness, 57
Jensen-Urstad M *see* Jensen-Urstad K *et al.*
Jensen-Urstad M *see* Johansson J *et al.*
Jeurissen MEC *see* Jansen TLThA *et al.*
Johansen J *see* Schalling M *et al.*
Johansson Å, Henriksson A, Olofsson B-O & Olsson T. Adrenal steroid dysregulation in dystrophia myotonica, 345
Johansson J, Jensen-Urstad K & Jensen-Urstad M. Antiplasmin correlates to arterial reactivity in a healthy population of 35-year-old men and women, 21
Johnson O *see* Söderberg S *et al.*
Johnsson H *see* Ribeiro A *et al.*
Jønsson V, Wiik A, Hou-Jensen K, Christiansen M, Ryder LP, Madsen HO, Geisler C, Hansen MM, Thomsen K, Vorstrup S &

Svejgaard A. Autoimmunity and extranodal lymphocytic infiltrates in lymphoproliferative disorders. 277
Jorfeldt L *see* Ribeiro A *et al.*
Jørgensen N *see* Brot C *et al.*
Juhlin P, Boström P-Å, Torp A & Bredberg A. Streptokinase antibodies inhibit reperfusion during thrombolytic therapy with streptokinase in acute myocardial infarction. 483
Juhlin-Dannfelt A *see* Ribeiro A *et al.*
Juto P *see* Ivarsson A *et al.*

Karlberg BE *see* Jansson K *et al.*
Karlberg K-E *see* Jansson K *et al.*
Karlson B *see* Everts B *et al.*
Karlsson E *see* Jansson K *et al.*
Karlsson FA *see* Schölin A *et al.*
Karlsson T *see* Sjöland H *et al.*
Kauma H *see* Rantala AO *et al.*
Kesäniemi YA *see* Rantala AO *et al.*
Ketonen M *see* Miettinen H *et al.*
Kirchhoff M *see* Milman N
Kjeldsen AD, Vase P & Green A. Hereditary haemorrhagic telangiectasia: a population-based study of prevalence and mortality in Danish patients. 31
Knekt P, Reunanen A, Marniemi J, Leino A & Aromaa A. Low vitamin E status is a potential risk factor for insulin-dependent diabetes mellitus. 99
Koefoed BG & Petersen P. Oral anticoagulation in non-valvular atrial fibrillation (Minisymposium). 375
Korpilahti K, Engblom E, Hämäläinen H, Syvänne M, Hietanen E, Arstila M, Puukka P & Rönnemaa T. Significance of graft occlusion and coronary atherosclerosis 5 years after coronary artery bypass grafting. A quantitative angiographic study with serial exercise testing. 545
Kretschmer G & Hölzenbein T. Oral anticoagulation in peripheral vascular surgery: how intense, for how long, at all? (Minisymposium). 389
Kristinsson JÖ *see* Valdimarsson Ö *et al.*
Kuehn EW, Anders HJ, Bogner JR, Obermaier J, Goebel F & Schlöndorff D. Hypocalcaemia in HIV infection and AIDS. 69

Lahav J *see* Luboshitz J *et al.*
Laippala PJ *see* Wirta OR *et al.*
Lakatos P *see* Barna I *et al.*
Langer D, Petermann C, Lübbers H & Lankisch PG. Relapsing pneumonia due to a migrating intrathoracic foreign body in a World War II veteran shot 53 years ago (Case Report). 405
Lankisch PG *see* Langer D *et al.*
Lappas G *see* Wilhelmsen L *et al.*
Large V *see* Hellström L *et al.*
Larose M *see* Ricquier D *et al.*
Larsson Å *see* Verbaan H *et al.*
Larsson H, Elmståhl S, Berglund G & Ahrén B. Habitual dietary intake versus glucose tolerance, insulin sensitivity and insulin secretion in postmenopausal women. 581
Lasker SS *see* Chowdhury TA *et al.*
Leino A *see* Knekt P *et al.*
Lévi-Meyrueis C *see* Ricquier D *et al.*
Liedholm R *see* Verbaan H *et al.*
Lilja M *see* Rantala AO *et al.*
Lindblom P *see* Valdemarsson S *et al.*
Lindgren S *see* Papadopoulos KI *et al.*
Lindgren S *see* Verbaan H *et al.*
Lindmarker P *see* Ribeiro A *et al.*
Lindström T *see* Orre-Pettersson A-C *et al.*
Lithner F *see* Andersson C
Livingston JN. Genetically engineered mice in drug development (Minisymposium). 627
Lönnqvist F *see* Schalling M *et al.*
Lönnqvist F, Nordfors L & Schalling M. Leptin and its potential role in human obesity (Minisymposium). 643
Lönnroth P *see* Axelsen M *et al.*
Lübbers H *see* Langer D *et al.*
Luboshitz J, Bairey O, Blickstein D, Vaknin H, Okon E, Lahav J & Prokocimer M. Cutaneous necrosis as a terminal paraneoplastic thromboembolic event in a patient with non-Hodgkin's lymphoma (Case Report). 301
Lund E *see* Asplund-Carlson A *et al.*

Madsen HO *see* Jønsson V *et al.*
Madsen OR *see* Brot C *et al.*
Madsen S, Holm S & Riis P. Ethical aspects of clinical trials: the attitudes of the public and out-patients. 571
Magadle R *see* Weiner P *et al.*
Maggipinto G *see* Delwaide J *et al.*
Mähönen M *see* Miettinen H *et al.*
Manthorpe R *see* Verbaan H *et al.*
Mariani M *see* Pedrinelli R *et al.*
Marniemi J *see* Knekt P *et al.*
May O, Arildsen H & Møller M. Parasympathetic function during deep breathing in the general population: relation to coronary risk factors and normal range. 287
Melillo E *see* Pedrinelli R *et al.*
Miettinen H, Salomaa V, Ketonen M, Niemelä M, Immonen-Räihä P & Mähönen M. Trends in the treatment of patients with myocardial infarction and coronary revascularization procedures in Finland, 1986–1992. The FINMONICA Myocardial Infarction Register Study. 11
Milman N & Kirchhoff M. Relationship between serum ferritin and risk factors for ischaemic heart disease in 2235 Danes aged 30–60 years. 423
Miroux B *see* Ricquier D *et al.*
Mittleman MA *see* Wamala SP *et al.*
Møller M *see* May O *et al.*
Mustonen JT *see* Wirta OR *et al.*

Nagata S *see* Yagoro A *et al.*
Niemelä M *see* Miettinen H *et al.*
Nordfors L *see* Lönnqvist F *et al.*
Nordfors L *see* Schalling M *et al.*
Nousiainen T, Vanninen E, Rantala A, Jantunen E & Hartikainen J. QT dispersion and late potentials during doxorubicin therapy for non-Hodgkin's lymphoma. 359
Nyhlin N *see* Anan I *et al.*
Nylander E *see* Jansson K *et al.*
Nyquist O *see* Jansson K *et al.*

Obermaier J *see* Kuehn EW *et al.*
Ohnishi Y *see* Yagoro A *et al.*
Okon E *see* Luboshitz J *et al.*
Olofsson B-O *see* Johansson Å *et al.*
Olsson T *see* Johansson Å *et al.*
Olsson T *see* Söderberg S *et al.*
Orre-Pettersson A-C, Lindström T, Bergmark V & Arnqvist HJ. The snack is critical for the blood glucose profile during treatment

with regular insulin preprandially, 41
Orth-Gomér K *see* Wamala SP *et al.*
Ose L *see* Tonstad S *et al.*
Ottenhoff THM *see* Grunewald J *et al.*

Papadopoulos KI, Sjöberg K, Lindgren S & Hallengren B. Evidence of gastrointestinal immune reactivity in patients with sarcoidosis, 525
Parhofer KG *see* Geiss HC *et al.*
Pasternack AI *see* Wirta OR *et al.*
Pecqueur C *see* Ricquier D *et al.*
Pedrinelli R, Dell' Omo G, Barchielli A, Berchiolli R, Melillo E, Mariani M, Balbarini A & Ferrari M. Fibrinogen and mortality in chronic critical limb ischaemia, 75
Peltonen M *see* Ivarsson A *et al.*
Persson LÅ *see* Ivarsson A *et al.*
Petermann C *see* Langer D *et al.*
Petersen P *see* Koefoed BG
Pikkarainen L, Sane T & Reunanen A. The survival and well-being of patients treated for Cushing's syndrome, 463
Prokocimer M *see* Luboshitz J *et al.*
Puukka P *see* Korpilahti K *et al.*

Rabner M *see* Weiner P *et al.*
Raimbault S *see* Ricquier D *et al.*
Rantala A *see* Nousiainen T *et al.*
Rantala AO, Kauma H, Lilja M, Savolainen MJ, Reunanen A & Kesäniemi YA. Prevalence of the metabolic syndrome in drug-treated hypertensive patients and control subjects, 163
Reichard P *see* Jensen-Urstad K *et al.*
Reinikainen PM *see* Wirta OR *et al.*
Rentier B *see* Delwaide J *et al.*
Reunanen A *see* Knekt P *et al.*
Reunanen A *see* Pikkarainen L *et al.*
Reunanen A *see* Rantala AO *et al.*
Reynisdottir S *see* Hellström L *et al.*
Ribeiro A, Lindmarker P, Johnsson H, Juhlin-Dannfelt A & Jorfeldt L. Pulmonary embolism: a follow-up study of the relation between the degree of right ventricle overload and the extent of perfusion defects, 601
Ricquier D, Fleury C, Larose M, Sanchis D, Pecqueur C, Raimbault S, Gelly C, Vacher D, Cassard-Doulcier A-M, Lévi-Meyrueis C, Champigny O, Miroux B & Bouillard F. Contributions of studies on uncoupling proteins to research on metabolic diseases (Minisymposium), 637
Riis P *see* Madsen S *et al.*
Ritz E. Nephropathy in type 2 diabetes, 111
Rönnblom A, Danielsson Å & El-Salhy M. Intestinal endocrine cells in myotonic dystrophy: an immunocytochemical and computed image analytical study, 91 (Erratum, 413)
Rönnemaa T *see* Korpilahti K *et al.*
Rosendaal FR *see* Cannegieter SC *et al.*
Rosengren A *see* Wilhelmsen L *et al.*
Ryder LP *see* Jønsson V *et al.*

Sakashita N *see* Anan I *et al.*
Salomaa V *see* Miettinen H *et al.*
Sanchis D *see* Ricquier D *et al.*
Sane T *see* Pikkarainen L *et al.*
Sato H *see* Yagoro A *et al.*
Sauer T *see* Griesshammer M *et al.*
Savolainen MJ *see* Rantala AO *et al.*
Schächinger V *see* Britten MB *et al.*
Schalling M *see* Lönnqvist F *et al.*
Schalling M, Johansen J, Nordfors L & Lönnqvist F. Genes involved in animal models of obesity and anorexia (Minisymposium), 613
Schenck-Gustafsson K *see* Wamala SP *et al.*
Schlöndorff D *see* Kuehn EW *et al.*
Schmid C *see* Bianda T *et al.*
Schölin A, Berne C, Schvarcz E, Karlsson FA & Björk E. Factors predicting clinical remission in adult patients with type 1 diabetes, 155
Schulman S. Introduction (Minisymposium), 367
Schulman S. Oral anticoagulation in venous thromboembolism: decisions based on more than mere feelings (Minisymposium), 399
Schvarcz E *see* Schölin A *et al.*
Schwandt P *see* Geiss HC *et al.*
Sigurdsson G *see* Valdimarsson Ö *et al.*
Sivertsen M *see* Tonstad S *et al.*
Sjöberg K *see* Papadopoulos KI *et al.*
Sjöland H, Wiklund I, Caidahl K, Hartford M, Karlsson T & Herlitz J. Improvement in quality of life differs between women and men after coronary artery bypass surgery, 445
Skaug K *see* Bjøro K *et al.*
Smith P. Oral anticoagulations are effective long term after acute myocardial infarction (Minisymposium), 383
Smith U *see* Axelsen M *et al.*
Söderberg S, Olsson T, Eliasson M, Johnson O & Ahrén B. Plasma leptin levels are associated with abnormal fibrinolysis in men and postmenopausal women, 533
Søndergaard-Petersen J *see* Frøbert O *et al.*
Sørensen OH *see* Brot C *et al.*
Stefansson SÖ *see* Valdimarsson Ö *et al.*
Stehbens WE. Use and misuse of atherosclerosis (Case Report), 311
Stehouwer CDA *see* Van Guldener C *et al.*
Suhr O *see* Anan I *et al.*
Suhr O *see* Ivarsson A *et al.*
Svejgaard A *see* Jønsson V *et al.*
Syvänne M *see* Korpilahti K *et al.*

Tabery H *see* Verbaan H *et al.*
Tada H *see* Yagoro A *et al.*
Terazaki H *see* Anan I *et al.*
Thomsen K *see* Jønsson V *et al.*
Tonstad S, Gørbitz C, Sivertsen M & Ose L. Under-reporting of dietary intake by smoking and non-smoking subjects counselled for hypercholesterolaemia, 337
Torn M *see* Cannegieter SC *et al.*
Torp A *see* Juhlin P *et al.*

Vacher D *see* Ricquier D *et al.*
Vaira D *see* Delwaide J *et al.*
Vaknin H *see* Luboshitz J *et al.*
Valdemarsson S, Lindblom P & Bergenfelz A. Reply (Case Report), 313
Valdimarsson Ö, Kristinsson JÖ, Stefansson SÖ, Valdimarsson S & Sigurdsson G. Lean mass and physical activity as predictors of bone mineral density in 16–20-year old women, 489
Valdimarsson S *see* Valdimarsson Ö
Van Guldener C, Janssen MJFM, De Meer K, Donker AJM & Stehouwer CDA. Effect of folic acid and betaine on fasting and postmethionine-loading plasma homocysteine and

methionine levels in chronic haemodialysis patients. 175
Van Meijgaarden KE *see* Grunewald J *et al.*
Vanninen E *see* Nousiainen T *et al.*
Váradi A *see* Barna I *et al.*
Vase P *see* Kjeldsen AD *et al.*
Verbaan H, Carlson J, Eriksson S, Larsson Å, Liedholm R, Manthorpe R, Tabery H, Widell A & Lindgren S. Extrahepatic manifestations of chronic hepatitis C infection and the interrelationship between primary Sjögren's syndrome and hepatitis C in Swedish patients. 127
Vojdani A. Single aetiologic agent may not be feasible in CFS patients (Letter to the Editor). 410
Vorstrup S *see* Jønsson V *et al.*

Wahrenberg H *see* Hellström L *et al.*
Waizman J *see* Weiner P *et al.*
Wamala SP, Mittleman MA, Horsten M, Schenck-Gustafsson K & Orth-Gomér K. Short stature and prognosis of coronary heart disease in women. 557
Weiner M *see* Weiner P *et al.*
Weiner P, Weiner M, Rabner M, Waizman J, Magadle R & Zamir D. The response to inhaled and oral steroids in patients with stable chronic obstructive pulmonary disease. 83
Welin L *see* Hansson P-O *et al.*
Wennauer R *see* Griesshammer M *et al.*
Werkö L *see* Herlitz J *et al.*
Wesslau C *see* Axelsen M *et al.*
Widell A *see* Verbaan H *et al.*
Wigzell H *see* Grunewald J *et al.*
Wiik A *see* Jønsson V *et al.*
Wiklund I *see* Sjöland H *et al.*
Wilhelmsen L. The effect of clinical trials on treatment in myocardial infarction (Editorial). 1
Wilhelmsen L, Rosengren A & Lappas G. Relative importance of improved hospital treatment and primary prevention. Results from 20 years of the Myocardial Infarction Register, Göteborg, Sweden. 185
Wirta OR, Pasternack AI, Mustonen JT, Laippala PJ & Reinikainen PM. Urinary albumin excretion rate is independently related to autonomic neuropathy in type 2 diabetes mellitus. 329
Witteman JCM *see* Bots ML *et al.*

Yagoro A, Tada H, Hidaka Y, Ohnishi Y, Nagata S, Sato H & Amino N. Postpartum onset of acute heart failure possibly due to postpartum autoimmune myocarditis. A report of three cases (Case Report). 199

Zamir D *see* Weiner P *et al.*
Zapf J *see* Bianda T *et al.*
Zeiher AM *see* Britten MB *et al.*

Journal of Internal Medicine 1999; **245**: 679–681

Keyword index

1, 25-dihydroxyvitamin D, 509
16–20-year-old women, 489
25-hydroxyvitamin D, 509
5-lipoxygenase, 205

ACE inhibitor, 435
acute intermittent porphyria, 193
acute myocardial infarction, 133, 475
adipose tissue, 643
adrenal steroid hormones, 345
adrenoceptor genes, 667
adults, 63
aetiology, 295
aged, 475
ageing, 287
AIDS, 69
anorexia, 613
anticoagulants, 383
antigen presentation, 353
antiheart antibody, 199
anti-ischaemic drugs, 143
antiplasmin, 21
antiplatelet treatment, 389
APC resistance, 593
arachidonic acid, 205
arterial baroreceptors, 57
arterial wall stiffness, 57
aspirin, 375
aspirin intolerance, 205
asthma, 205
atherosclerosis, 57, 269
atorvastatin, 47
atrial fibrillation, 366, 375
autoimmune mycarditis, 199
autoimmunity, 277
autonomic nervous system, 287
autonomic neuropathy, 329

BAL cells, 353
betaine, 175
blood glucose, 229
blood pressure, 423
body composition, 489
body mass index, 247
bone mineral density, 489, 509
breast, 5
breast conservation therapy, 5
bronchoscopy, 405

calcium, 69
calcium intake, 509
candidate genes, 653
CAPD, 111
captopril, 435
cardiovascular disease, 21
cardiovascular mortality, 557
cardiovascular risk factors, 163
cellulitis, 5
cerebrovascular disorders, 375
chest pain, 133, 237, 497
chronic disease, 475
chronic hepatitis C infection, 127
chylomicron remnants, 455
chylomicrons, 455
clinical trials, 389
coeliac disease, 63, 525
cohort studies, 99
colon, 469
common variable immunodeficiency, 517
complications, 31
computed image analysis, 91
coronary artery, 237
coronary artery bypass grafting, 545
coronary artery bypass surgery, 445
coronary artery disease, 143, 185, 315, 497
coronary atherosclerosis, 545
coronary disease, 11
cortisol, 345
critical limb ischaemia, 75
cross-sectional study, 329
cryoprecipitates, 127
Cushing's syndrome, 463

db gene, 643
deep vein thrombosis, 366, 399, 593
depolarization, 359
diabetes mellitus, 41, 111, 229, 565
diabetes, 111, 193
diet, 41, 337, 581
dietary carbohydrates, 229
disseminated intravascular coagulation, 301
diurnal rhythm, 345
doxorubicin, 359
drug development, 627
drug therapy, 41
duodenum, 91
dynamic vectorcardiography, 483

echocardiography, 601
electrolytes, 69
endocrine cells, 91
endothelial dysfunction, 315
endothelial function, 21
endothelium, 315
energy expenditure, 637
epidemiological survey, 423
epidemiology, 31, 99, 593
exercise stress test, 545
extranodal lymphoid infiltrates, 277

familial amyloidosis, 469
fat cells, 643
fat mass, 253
ferritin, 423
fibrinogen, 75
fibrinolysis, 533
folic acid, 175
food habit, 41

© 1999 Blackwell Science Ltd

gastrointestinal immunity, 525
gender, 253, 445
gene mutation, 253
genetics, 613, 653
gliadin antibodies, 525
glucocorticosteroids, 205
glucose tolerance, 581
granulocytes, 475
grip strength, 489

H^+/K^+ ATPase antibodies, 525
haemodialysis, 111, 175
haemoglobinopathy, 103
haemorrhage, 369, 399
haemostasis function, 21
HCV, 127
heart attack, 185
heart failure, 199
heart rate variability, 57, 287
heart valve prosthesis, 366
heart valves, 369
height, 557
hepatitis C, 517
hepatitis G, 517
hepatocellular carcinoma, 193
HHT, 31
high risk, 269
HIV, 69
homocysteine, 175
humans, 287
hypercholesterolaemia,47, 337
hyperhomocysteinaemia, 175
hyperinsulinaemia, 163, 247
hypertension, 111, 163
hypertriglyceridaemia, 247
hypocalcaemia and hypoparathyroidism, 69
hypogammaglobulinaemia, 277
hypoglycaemia, 229
hypokalaemia, 307

IGF-I, 455
immunocytochemistry, 91
immunohistochemistry, 469
inhaled and oral steroids, 83
insulin, 41, 229, 455, 533
insulin secretion, 581
insulin sensitivity, 247, 581
insulin therapy remission, 155
insulin-dependent (IDDM), 229
insulin-dependent diabetes mellitus, 41, 57, 99
iron metabolism, 423
ischaemic heart disease, 423
ischaemic stroke, 375

keratoconjunctivitis sicca, 127

late potentials, 359
lathosterol, 247
LDL apheresis, 47
left ventricular mass, 287
lente, 229
leptin, 533, 613, 643
leukotrienes, 205
lipid-lowering drugs, 143
liquorice, 307
liver disease, 517
lymphoma, 301
lymphoproliferative disorders, 277

marrow necrosis, 103
Mb.Osler, 31
M-component, 277
medical treatment, 11
metabolic syndrome, 163
methionine loading, 175
metoprolol, 133, 435
microalbuminuria, 111
migrating intrathoracic foreign body, 405
mitochondria, 637
MONICA project, 11
morbidity, 497
morphine, 133
mortality, 31
mouse model, 613
myocardial infarction, 11, 366, 383, 565
Myocardial Infarction Register, 185
myocardial ischaemia, 315
myotonic dystrophy, 91, 345

nephropathy, 111
neurohormonal function, 435
non-Hodgkin's, 301
noninsulin-dependent diabetes, 627
non-ischaemic cardiomyopathy, 435
nuclear medicine, 601
nutrients, 337

ob gene, 643
obesity, 613, 627, 637, 643, 653, 667
oral anticoagulation, 366, 369, 389, 399

panic disorder, 497
parvovirus, 103
peptide YY, 469
perfusion, 601
peripartum cardiomyopathy, 199
peripheral arterial disease, 389
peripheral arterial occlusive disease, 75
pernicious anaemia, 525
phosphate intake, 509
phospholipase A_2, 205
physical activity, 489
pituitary, 463
platelets, 295
pneumonia, 405
polymerase chain reaction, 253
polymorphism, 667
population, 287
population-based, 63
post-operative pharmacotherapy, 389
postpartum myocarditis, 199
post-streptococcal reactive arthritis, 261
prevalence, 31, 63
prevention, 269

primary hypogammaglobulinaemia, 517
primary prevention, 185
primary Sjögren's syndrome, 127
prognosis, 557
protein-energy malnutrition, 475
PTH, 509
pulmonary embolism, 366, 399, 593, 601
pulmonary heart disease, 601

QT dispersion, 359
quality of life, 445
quantitative angiography, 545
quantitative trait loci, 613

randomized clinical trials, 571
rectum, 91
recurrent acute myocardial infarction, 557
renin–angiotensin system, 435
repolarization, 359
research ethics, 571
revascularization, 11, 143
rheumatic fever, 261
risk factors, 99, 423
risk stratification, 269

sarcoidosis, 525
screening, 63
secondary prevention, 383, 565
serotonin, 469
serum lipids, 423
sex-characteristics, 155
sickle cell, 103
simvastatin, 47
smoking, 337
socio-economic status, 557
somatosensory physiology, 237
somatostatin, 469
spinal cord, 237
stable COPD, 83
streptococci, 261
streptokinase antibodies, 483
superoxides, 475
survival, 463

testosterone, 253
therapy, 315
thermogenesis, 637
thrombocytosis, 295
thromboembolism, 301, 375
thrombolytic therapy, 483
thrombosis, 75, 295
torsades-de-pointes, 307
transgenic animals, 627
transsphenoidal pituitary surgery, 463
treatment needs, 497
trial participants, 571
triglycerides, 455
type 1 diabetes mellitus, 155
type 2 diabetes, 329

under-reporting, 337
urinary albumin excretion rate, 329

ventricular tachycardia, 307
vitamin E, 99

warfarin, 375
women, 557

xerostomia, 127